

## HOW TO SWAP THE FRONT PANEL OF HEVAC UNIT

Tools	degree of difficulty	Time
1 Phillips screwdriver	Easy	30'
1 torx screwdriver		
1 Flat screwdriver or plastic tool lever		

### Why?

I want upgrade my Disco with heated windscreen and, in 2nd step, heated seats.

I bought by eBay a used Hevac control unit from a HSE <2007 with grey front panel but my SE MY2008 have a Hevac with front panel in black.

It's possible then swap the front panels of the units? Yes, it takes only a screwdriver and 30 minutes of patience!

### How to:

1. Remove the "H" panel of dashboard (many guides in disco3...) and remove 4 torx screw on side of Hevac unit



2. Pull three electric connectors and remove the unit



Front view

Back View



New unit (grey)

Old unit (black)





3. Remove the three wheels to adjust temperature and fan pulling up:




4. Remove 4 screw on back of unit:



5. With a screwdriver or plastic tool like one in the picture, leverage to open the unit:



6. Remove 3 screw on back of front panel:



7. Remove the front panel and the buttons frame:



8. Open the second unit (repeat process)
9. Swap the buttons frame (very easy, sorry no pics)
10. Reassemble the unit swapping the front panel
11. Mount your new Hevac in the car

The HEVAC now works but to operate the heated windshield you need to activate it via software!



Regards, and sorry for my English, I used google translation... J

[Panoramix](#)